

Mphi 75

The MLS[®]

Laser Therapy has a
new evolution.

MLS[®]
Multiwave
Locked System



**ASALASER: THROUGH RESEARCH,
WE FIND NEW SOLUTIONS.**

We have increased our experience day after day since 1983, successfully dedicating ourselves to therapy solutions in Pain Management and Tissue repair. Our tireless research has meant that we can produce effective medical devices for Laser therapy. (Hilterapia[®] and MLS[®] Laser Therapy) and Magnetotherapy in the physiotherapy, orthopaedic, traumatology, rheumatology, dermatology, sports medicine and rehabilitation therapy fields.

ASALASER
Research and Therapeutic Solutions


Mphi 75

All the effectiveness of MLS® Laser Therapy with a **new 75 W peak power**

MLS® Multiwave Locked System

is the result of a long journey of scientific research and technological innovation, fruit of the knowledge and experience gained in the evolution of laser therapy, where ASAlaser itself has marked the most significant milestones. The MLS® sources have a peak power of 75 W and an average power output of up to 1.2 W, which is fully put to use by the synchronization of emissions (continuous/frequenced and pulsed) that allows to reach deep into the tissues, ensuring total safety against thermal damage.

Mphi 75 represents a further evolution of the MLS® line and inherits its safety features and ease-of-use as a portable device with adequate size and weight.



MORE PEAK POWER, MORE SPEED

The MLS® pulse boosted this way allows an early improvement of symptoms with reduced treatment times.

Distinctive effects of MLS® Laser Therapy such as:

- ▶ Effective anti-inflammatory action
- ▶ Rapid analgesic effect
- ▶ Marked photomechanical effect
- ▶ Restoration of the functionality of the peripheral microcirculation

They find great improvement in the new energy formula provided by Mphi 75.

PARTICULARLY INDICATED FOR THE TREATMENT OF:

- ▷ Arthritis
- ▷ Brachial neuralgia
- ▷ Bursitis
- ▷ Cervical pain
- ▷ Contusions
- ▷ Dislocations
- ▷ Hematomas / Oedemas
- ▷ Hip pain
- ▷ Joint pain
- ▷ Knee pain
- ▷ Lumbar pain
- ▷ Muscle Contractures
- ▷ Muscle lesions
- ▷ Plantar fasciitis
- ▷ Sciatic pain
- ▷ Sores
- ▷ Tendonitis
- ▷ Ulcers

VISIBLE AND INVISIBLE LASER
RADIATION AVOID OR SKIN EXPOSURE TO
DIRECT OR SCATTERED RADIATION.
CLASS 4 LASER PRODUCT.



LASER ACUPUNCTURE

Thanks to the interchangeability of the handpiece's terminal, the standard lens (Target Area of 2 cm diameter) can easily and quickly be replaced with the high efficiency light guide, capable of directing the laser beam into a spot dedicated to the laser acupuncture .

5 TREATMENT METHODS

Mphi 75 makes it possible to manage multiple treatment modes, including laser acupuncture . Moreover, the personalization of the protocols, in a specific dedicated area, allowing the creation and storage of parameters ready to be used at any time.



Mphi 75

TECHNICAL CHARACTERISTICS

- ▶ Handpiece with optical group consisting of an MLS® source with power up to 1.2 W -Peak Power 75 W
- ▶ Therapeutic terminal, Target Area of \varnothing 2 cm highlighted by high-efficiency red LED light laserpuncture terminal, Target Area of \varnothing 4 mm highlighted by high-efficiency red LED light
- ▶ High resolution LCD color touch screen user interface
- ▶ Simultaneous management of two independent channels
- ▶ 5 treatment modalities:
 - A) specific pathologies
 - B) pain management
 - C) anti-edema
 - D) biostimulation
 - E) laser acupuncture
- ▶ Possibility to customize every treatment parameters
- ▶ Dedicated area to create and save new customised programmes for each terminal/appliator
- ▶ MLS® modulation in CPW or FPW mode (Synchronized emission of Continuous Pulsed Waves or Frequenced Pulsed Waves)
- ▶ Modulation frequency from 1 to 2000 Hz with 1 Hz steps
- ▶ Power level 25%, 50%, 75% and 100%
- ▶ Fixed duty cycle at 50% or variable
- ▶ Treatment duration from 1" to 99'59" with 1" steps
- ▶ Automatic calculation of the emitted energy according to the settled parameters

ALARMS AND SAFETY FEATURES

- ▶ Laser emission warning light
- ▶ Interlock
- ▶ Acoustic signal selectable by operator
- ▶ Date and time
- ▶ Password to operate the device
- ▶ Language option
- ▶ Ready to be connected to the remote Laser emission signaling device

INCLUDED ACCESSORIES

- ▶ N° 2 Light Guide for Laser puncture
 - ▶ N° 2 Laser Safety Goggles
 - ▶ Unit carrying case
 - ▶ Table handpiece holder
 - ▶ Shoulder strap for portable use
- ### SIZE AND WEIGHT
- ▶ 36 x 28 x 10 cm; 3 Kg

POWER SUPPLY

- ▶ External power supply 18Vdc 50VA

OPTIONAL ACCESSORIES

- ▶ Trolley-Unit carrying



ASA

A S A L A S E R

Research and Therapeutic Solutions

Hilterapia®

MIS
Multiwave
LockedSystem

Qs
Magnetotherapy



ASA srl

CORPORATE HEADQUARTERS / REGISTERED OFFICE
Via Alessandro Volta, 9 / 36057 Arcugnano (VI) - Italy
T +39 0444 28 92 00 / F +39 0444 28 90 80
asalaser@asalaser.com

RESEARCH DIVISION / BRANCH
Joint Laboratory Department of Experimental and Clinical
Biomedical Sciences University of Florence
Viale G. Pieraccini, 6 / 50139 Firenze - Italy
asacampus@asalaser.com

asalaser.com



CE
0123